
Caloriferele ELLIPSIS se integrează discret și elegant în spațiu oferind un confort ambiant maxim. Extrema modularitate a acestui produs permite utilizarea lui în orice tip de încăpere.



Ellipsis, vertical, 8 elemente, înălțimea 2020 mm, lățime 480 mm, Alb Opac

Caracteristici Tehnice

colectoare cu secțiunea circulară cu diametrul de 30 mm
elemente de oțel cu secțiune eliptică 50x25 mm
filetarea extremității colectorului 1/2" G dx
presiunea maximă admisă de 4 bar
temperatura maximă admisă de 95°C

Standard equipment

kit "chela" pentru fixare pe perete dotate cu șuruburi și
dibluri;
dop de 1/2"
elemente de acoperire
aerisitor 1/2" cromat

Certifications



Plus



Date tehnice

Model	Deph (mm)	Height (mm)	Conn. C. (mm)	Weigth (kg)	Capacity (lt)	$\Delta t=60^{\circ}\text{C}$ (Watt)	$\Delta t=50^{\circ}\text{C}$ (Watt)	$\Delta t=40^{\circ}\text{C}$ (Watt)	$\Delta t=30^{\circ}\text{C}$ (Watt)	$\Delta t=20^{\circ}\text{C}$ (Watt)	Exponent
520	53,0	520	470	0,75	0,50	47,0	37,2	28,0	19,4	11,5	1,280
650	53,0	650	600	0,88	0,61	58,9	46,5	34,8	24,0	14,2	1,295
700	53,0	700	650	0,93	0,65	63,6	50,2	37,6	25,9	15,3	1,295
920	53,0	920	870	1,15	0,84	82,9	65,2	48,7	33,3	19,6	1,314
1020	53,0	1020	970	1,25	0,93	91,5	72,0	53,7	36,8	21,6	1,314
1220	53,0	1220	1170	1,45	1,09	108,2	85,2	63,6	43,6	25,7	1,310
1520	53,0	1520	1470	1,75	1,35	133,6	105,2	78,6	54,0	31,8	1,306
1820	53,0	1820	1770	2,05	1,60	159,1	125,5	93,8	64,5	38,1	1,302
2020	53,0	2020	1970	2,25	1,77	176,2	139,0	104,0	71,6	42,3	1,300

Grație prestațiilor ridicate ale corpurilor încălzitoare Irsap Ellipsis_V Vertical, se consideră ideale pentru proiectarea la joasă temperatură un Δt la 30°C

Pentru $\Delta t \neq$ de 60°C utilizați formula: $Q=Q_n (\Delta t / 60)^n$

Standard equipment


- kit “chela” pentru fixare pe perete dotate cu șuruburi și dibluri; • dop de 1/2” • elemente de acoperire • aerisitor 1/2” cromat

Data Set

Length (mm) sub>	NÂ° Elements		520	650	700	920	1020	1220	1520	1820	2020
240	4	Watt = W = 188	236	255	332	366	433	534	637	705	
360	6	Watt = W = 282	353	382	498	549	650	801	955	1057	
480	8	Watt = W = 376	471	509	663	732	866	1068	1273	1409	
600	10	Watt = W = 470	589	636	829	915	1082	1336	1591	1762	
720	12	Watt = W = 564	707	764	995	1098	1299	1603	1910	2114	
840	14	Watt = W = 659	824	891	1161	1281	1516	1870	2228	2466	
960	16	Watt = W = 753	942	1018	1327	1464	1732	2137	2546	2819	
1080	18	Watt = W = 847	1060	1146	1493	1647	1948	2404	2864	3171	
1200	20	Watt = W = 941	1178	1273	1658	1830	2165	2671	3183	3523	
1320	22	Watt = W = 1035	1296	1400	1824	2013	2382	2938	3501	3876	
1440	24	Watt = W = 1129	1413	1527	1990	2196	2598	3205	3819		
1560	26	Watt = W = 1223	1531	1655	2156	2379	2814	3472			
1680	28	Watt = W = 1317	1649	1782	2322	2562	3031	3739			
1800	30	Watt = W = 1411	1767	1909	2488	2745	3248	4007			


Culori e finisaje

STANDARD



Alb Standard
Cod. 01

CLASSIC




Edelweiss
Cod. 34



Ivoriu - RAL 1013
Cod. 02



Bej Cream
Cod. 26



Galben - RAL 1021
Cod. 04




Galben Signal -
RAL 1028
Cod. E7



Portocaliu - RAL
2004
Cod. 17



Maro Ruginiu - RAL
8004
Cod. E1



Maro - RAL 8017
Cod. 09



Purpuriu - RAL 3003
Cod. 06



Roșu - RAL 3000
Cod. 05



Roșu Sunset - RAL
3018
Cod. Y3



Roz - RAL 3015
Cod. R2



Albastru Liliac -
RAL 4005
Cod. R3



Purpuriu Trafic -
RAL 4006
Cod. R6




Verde Pădure - RAL
6005
Cod. 19




Verde Iarbă - RAL
6018
Cod. N3




Verde Salvie - RAL
6021
Cod. E6




Albastru Pastel -
RAL 5024
Cod. G7



Gri Manhattan
Cod. 03




Negru - RAL 9005
Cod. 10



Deep Blue
Cod. 2F

SPECIAL



Alb Perlă
Cod. 16



Quartz 1
Cod. 1C



Sablé
Cod. Y4



Quartz 2
Cod. 2C




Sunstone
Cod. 2D







Brun Tabac
Cod. 1B



Flame Red
Cod. 7D



Purple Blue
Cod. 1D

							
Azurit 3 Cod. 6C	Gri Mediu Cod. 4D	Titan Metalizat - RAL 9023 Cod. L3	Gri Perlă Cod. L6	Negru Grafite Cod. 18	Gri Cuart Cod. 31	Negru Satinat Cod. 30	Alb Opac Cod. J8
							
Negru Opac Cod. K1	Agave Cod. 9N	North Sea Blue Cod. 1P	Ice Cod. 3P	Matt Blue Dove - RAL 5014 Cod. 4P	Matt Light Grey Cod. 8N	Ash Grey - Ral 7021 Cod. G1	Gri Închis Cod. 32
							
Cupru Lovitură de Ciocan Cod. J4							

RAL



Other RAL Colours (following feasibility study)
Cod. ALTRIRAL

The Colors used in this folder are not considered binding. The different technological painting processes and the materials used for the realization can not have a perfect color match with the delivered product. Irsap company reserves the right to introduce at any time whatever modifications necessary to the improvement of the product.