
Corpul radiant este o sculptură murală și oferă infinite soluții de amenajare. Iar mimetizarea finisajelor creează un anturaj cu adevărat armonios. Linia nu este scopul în sine, ea dă naștere formei care devine corp, lumină, culoare, pentru a se transforma mai apoi în căldură.



Relax Immagina, înălțimea 2000 mm, lățime 600 mm, Alb Opac

Caracteristici Tehnice

placă radiantă

filetarea de 1/2" G dreapta

presiunea maximă admisă 4 bar

temperatura maximă admisă 95°C

Standard equipment

grup robinete cu racorduri de cupru (diametre 12, 14 și 15 mm) și multistrat (14 grosimea 2 și 16 grosimea 2)

4 suporturi pentru fixarea pe perete

sistem de iluminare cu led retractabil
aerisitor

Certifications



Plus



Date tehnice

Model	Deph (mm)	Height (mm)	Width (mm)	Conn. C. (mm)	Weigth (kg)	Capacity (lt)	$\Delta t=60^{\circ}\text{C}$ (Watt)	$\Delta t=50^{\circ}\text{C}$ (Watt)	$\Delta t=40^{\circ}\text{C}$ (Watt)	$\Delta t=30^{\circ}\text{C}$ (Watt)	$\Delta t=20^{\circ}\text{C}$ (Watt)	Exponent
Relax Immagina S	70,0	1800	500	50	26,30	1,40	963,0	769,0	584,0	410,0	248,0	1,234
Relax Immagina S cu lumina	70,0	1800	500	50	26,30	1,40	963,0	769,0	584,0	410,0	248,0	1,234
Relax Immagina L	70,0	2000	600	50	33,30	1,90	1.261,0	1.009,0	768,0	540,0	329,0	1,224
Relax Immagina L cu lumina	70,0	2000	600	50	33,30	1,90	1.261,0	1.009,0	768,0	540,0	329,0	1,224

Grație prestațiilor ridicate ale corpurilor încălzitoare Irsap Relax Immagina, se consideră ideale pentru proiectarea la joasă temperatură un Δt la 30°C










Pentru $\Delta t \neq$ de 60°C utilizați formula: $Q=Q_n (\Delta t / 60)n$

Standard equipment

- grup robinete cu racorduri de cupru (diametre 12, 14 și 15 mm) și multistrat (14 grosimea 2 și 16 grosimea 2) • 4 suporturi pentru fixarea pe perete • sistem de iluminare cu led retractabil • aerisitor

Culori e finisaje

SPECIAL

							
Alb Perla Cod. 16	Quartz 1 Cod. 1C	Sablé Cod. Y4	Quartz 2 Cod. 2C	Sunstone Cod. 2D	Brun Tabac Cod. 1B	Flame Red Cod. 7D	Purple Blue Cod. 1D
							
Azurit 3 Cod. 6C	Gri Mediu Cod. 4D	Titan Metalizat - RAL 9023 Cod. L3	Gri Perla Cod. L6	Negru Grafite Cod. 18	Gri Cuart Cod. 31	Negru Satinat Cod. 30	Alb Opac Cod. J8
							
Negru Opac Cod. K1	Agave Cod. 9N	North Sea Blue Cod. 1P	Ice Cod. 3P	Matt Blue Dove - RAL 5014 Cod. 4P	Matt Light Grey Cod. 8N	Ash Grey - Ral 7021 Cod. G1	Gri Inchis Cod. 32
							
Cupru Lovitura de Ciocan Cod. J4							

RAL



Other RAL Colours (following feasibility study)
Cod. ALTRIRAL

The Colors used in this folder are not considered binding. The different technological painting processes and the materials used for the realization can not have a perfect color match with the delivered product. Irsap company reserves the right to introduce at any time whatever modifications necessary to the improvement of the product.